

What does 10km for an optical module mean



Overview

The SFP+10G 1310nm 10Km LC optical module is a powerful and versatile solution for high-speed, long-distance data transmission.

Key Takeaways

10G SFP+ LR optical modules support transmission distances up to 10 km over single-mode fiber at 1310 nm wavelength.

For a 10 km link, the standard choice is a 10G SFP+ LR (Long Reach) module, which is designed for single-mode fiber (SMF) and operates at a 1310 nm wavelength. These modules are widely used in enterprise backbones, metro networks, and data center interconnects, providing reliable medium-distance connectivity between switches, routers, and servers . The LR designation indicates that the module is optimized for distances beyond short-reach limits but does not require the higher optical power of extended-reach modules like ER or ZR .

Key Specifications

- Maximum Distance: Up to 10 km over single-mode fiber
- Wavelength: 1310 nm, chosen to minimize chromatic dispersion and maintain signal integrity over medium distances
- Connector Type: Typically LC duplex
- Data Rate: 10 Gbps (SFP+ standard)

- **Compatibility:** Multi-source agreement (MSA) compliant, ensuring interoperability across vendors

Deployment Considerations

- **Fiber Type:** Single-mode fiber is essential for 10 km links because multimode fiber cannot reliably support this distance due to modal dispersion .
- **Optical Budget:** Ensure the link budget (transmit power minus receiver sensitivity) is sufficient for the 10 km distance to avoid signal loss .
- **Use Cases:** Ideal for interconnecting buildings, campus networks, metropolitan area networks (MANs), and data center interconnects .
- **Cost vs. Distance:** For shorter distances (e.g., under 300 m), short-range (SR) modules are more cost-effective, but LR modules are necessary for distances approaching 10 km .

Summary

A 10G SFP+ LR module is the standard solution for 10 km optical links, providing a balance of distance, power efficiency, and interoperability. When planning a deployment, ensure the fiber type, optical budget, and connector compatibility are properly matched to achieve reliable performance over the full 10 km distance .

Article Content

What Is 10GBASE-LR? SMF 1310nm 10km SFP+ Explained

10GBASE-LR is a 10-gigabit Ethernet optical standard that operates at 1310 nm over single-mode fiber (SMF), supporting link

SFP+10G 1310nm 10Km LC Optical Module Guide

The SFP+10G 1310nm 10Km LC optical module is a powerful and versatile solution for high-speed, long-distance data transmission.

What is Optical Link Module?

The optical link module, known as Optical Transceiver in English, is a general term for various module categories, including optical

Basic Knowledge Of Optical Module Transmission Distance

Generally, short-range modules can reach up to 2 km, medium-range modules range from 10 km to 20 km, and long-range modules

SFP+ Single Mode LC Module (10km)

Transmission distance of up to 10km (6.21 mi.) Duplex LC optical interface Supports data rates of up to 10.31Gbps Supports 1310nm

All About the SFP-10G-ZR: Understanding the 1550nm 80km Optical ...

The SFP-10G-ZR optical module offers 10G data rate, 1550nm wavelength, and 80km reach, perfect for long-haul telecom and

10GB SFP Module Guide: Types, Specs, and How to Choose

Learn everything about 10GB SFP modules, including types, specifications, compatibility, and how to choose the right 10G SFP+

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: <https://coetzerinvestments.co.za>

Technical inquiry: <https://coetzerinvestments.co.za/contact.html>

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

